Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



7

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE

TURKEYS IN NTIP FLOCKS AND THEIR DISTRIBUTION BY STATES AND VARIETIES, 1951-52, 1961-62 and 1962-63



U. S. DEPT. OF ASPICULTURE
NATIONAL ACRISM

NOV 1 6 1963

CURRENT SEMAL RECORDS

Summary of Variety Distribution in the National Turkey Improvement Plan

Hatchery Supply Flocks 1950-51 to 1962-63

			Percentage distribution by varieties							
Year	States	Total Birds	Broad Breasted Bronze	Other Bronze	Large White	Small White	Crosses	Others		
1950-51	44	2,264,376	76.7	1, 5	4.6	16.3	0.1	0,8		
1951-52	44	3,064,834	75.1	0.3	3.6	19.2	0, 1	1.7		
1952-53	42	2,596,694	76.0	0, 2	4.9	17.4	0.1	1.4		
1953-54	42	2,761,753	67.3	0, 5	8.7	23.0	0, 1	0, 4		
1954-55	42	2,765,375	66.4	0.5	14.0	18.3	0.5	0, 3		
1955-56	41	3,033,419	65.4	0.6	19.1	13.8	0.8	0.3		
1956-57	41	3,649,317	67.7	0, 5	17.8	12.3	1.6	0.1		
1957 - 58	42	3,371,146	71.8	0.3	16.7	9. 0	2.0	0, 2		
1958-59	41	3,780,384	61.5	0.3	23.9	12.4	1.7	0.2		
1959-60	42	3,243,509	62.2	0.3	28.8	7.4	1.0	0, 3		
1960-61	42	4,500,090	57.3	0, 2	31.0	9.6	1.7	0.2		
1961-62	41	3,977,184	54.0	0, 5	35, 8	8. 0	1.2	0, 5		
1962-63	39	3,834,242	53, 5	0, 1	36.5	8. 4	1. 3	0.2		

		Percentage distribution by varieties								
		Broad Broad								
Division	Total	Breasted	Other	Large	Small					
State and Year	Birds	Bronze	Bronze	White	White	Crosses	Other			
Maine										
1951-52	14,603	14.0		6.5	74.5		5, 0			
1961-62							J. 0			
1962-63										
New Hampshire	r 000	2.4.2		71.0	2.0		2 5			
1951-52	5,999	24. 3		71.2	2.0		2.5			
1961-62	8,572	4. 5		95.5						
1962-63	7,062	11.8		88.2						
Vermont										
1951-52	6,824	39.2	54, 2	4, 5	1.5		0.6			
1961-62	822	55.7		44. 3						
1962-63	432	100.0								
Massachusetts										
1951-52	22 270	34.9	2.7	55, 3	3, 8	0 1	2 2			
	22,878		Z. (0, 1	3, 2			
1961-62	18,602	19.8		80.2						
1962-63	11,161	19.1		80.9						
Rhode Island										
1951-52	1,823	40.2		45.6	0.5		13.7			
1961-62	202			26.7			73.3			
19 6 2-63										
Connecticut										
1951-52	9,625	43.2		37.9	7.5		11.4			
1961-62	10,797	3. 9		75.7	4. 3		16.1			
1962-63	8,685	6.9		93. 0			0.1			
2,02 05	0,000	5. /		,5, 0			0.1			
New York										
1951-52	32,184	34.2		62.3	2.2		1. 3			
1961-62	18,346	22.3		77.1			0.6			
1962-63	14,515	34.8		64.7			0.5			
New Jersey										
1951-52	13,070	40.7		31.9	13.9		13.5			
1961-62	9,221	68.0	2.0	28.7	1. 3					
1962-63	8,574	94.1		5. 9						
Pennsylv a nia										
	14 757	60 1		24.1	11.5		1.2			
1951-52	44,757	60.1	31 0				4.3			
1961-62	23,162	37. 9	31.0	28. 4	1.4		1.3			
1962-63 NORTH ATLANTIC	22,069	25.6		24. 4	47.9		2.1			
1951-52	151,763	41.0	2.8	38.0	13, 5	0. 1	4, 6			
						0, 1	2.6			
1961-62	89,724	26.8	8. 2	61.4	1.0					
1962-63	72,498	31.4		53, 3	14, 6		0.7			
Ohio										
1951-52	97,159	61.0		18.7	19.1	1.0	0, 2			
1961-62	176,241	26.6	3, 2	51.9	18. 3					
1962-63	186,501	29.4	1.6	49.9	19 . 1					

	<u> </u>		Percentage d	Percentage distribution by varieties					
		Broad					T		
Division	Total	Breasted	Other	Large	Small				
State and Year	Birds	Bronze	Bronze	White	White	Crosses	Others		
Indiana									
1951-52	26,109	81.1			18. 9				
1961-62	37,196	64.8		25.7	8. 0	1. 5			
1962-63	57,090	85.0		15.0		1. 5			
1702-03	51,070	65, 0	77	15.0					
Illinois									
1951-52	35,633	87.6		2.8	8, 8		0. 8		
1961-62	24, 401	93. 0	2.0	5. 0					
1962-63	28,815	71.8	1.7	26.5					
2,02 00	,								
Michigan									
1951-52	82,676	85.9		5. 6	8. 3		0, 2		
1961-62	93,023	48.2		45.7	6, 1				
1962-63	96,097	45.6		47.9	6.5				
Wisconsin									
1951-52	7,599	86.1		2.6	2.0		9. 3		
1961-62	127,870			100.0					
1962-63	142,145	4, 8		95. 2					
EAST NORTH CEN									
1951-52	249,176	75.9		9.6	13.5	0.4	0.6		
1961-62	458,731	30.2	1.3	59. 5	8. 9	0.1			
1962-63	510,648	34. 2	0.7	56.9	8, 2				
2.63									
Minnesota	217 417	70.0	0.1		10.0				
1951-52 1961-62	217,417	73.0	0.1	1.6	19. 9		5. 4		
1962-63	778,650	30.5		51.5	12. 2	5. 4	0, 4		
1902-03	708,055	33.7		52, 0	7.8	6, 5			
Iowa									
1951-52	74,800	100.0							
1961-62	177,865	76.3		15. 4	8. 3				
1962-63	160,541	61.5		25.0	13.5				
1,02 05	100,511	01. 5		25.0	15.5				
Missouri									
1951-52	170,740	83, 8		2. 9	12.6		0.7		
1961-62	186,324	63. 2		18.5	18. 3				
1962-63	200,424	56.8		23. 0	20. 2				
	·			,					
North Dakota									
1951-52	8,731	45.6			44, 5	6.2	3, 7		
1961-62	32,574	73.2		26.8					
1962-63	19,253	74.4		25.6					
South Dakota									
1951-52	6,195	68.9					31.1		
1961-62	4, 422	100.0							
1962-63	5,810	68 . 4			31.6				
NT-11									
Nebraska	00 0=								
1951-52	22, 972	93.0		0.4			6. 6		
1961-62	19,191	78.8		21. 2					
1962-63	18,896	81.4		18.6					

		Percentage distribution by varieties						
		Broad						
Division	Total	Breasted	Other	Large	Small			
State and Year	Birds	Bronze	Bronze	White	White	Crosses	Others	
Kansas								
1951-52	27,489	79.4		3, 5	15.3		1.8	
1961-62	50,946	57.7		39.6	2, 5		0. 2	
1962-63	45, 925	51.0		43.0	2.7	1.6	1.7	
WEST NORTH CEN								
1951-52	528,344	81.0	0.1	1.7	13.8	0.1	3, 3	
1961-62	1,249,972	45, 1		39.7	11.6	3. 3	0.3	
1962-63	1,158,904	43.8		41.7	10.4	4.0	0.1	
Delaware								
1951-52	9,027	28.5			71.5			
1961-62	1,327	2.6		97.4				
1962-63								
Maryland								
1951-52	34,316	76. 1		5, 2	17.8		0.9	
1961-62	8,132	62.4		37.6				
1962-63	10,016	40.4		55.3	2.5		1. 8	
37°								
Virginia	220 714	24.2		0.0	72 4		0 5	
1951-52	328,714	26. 3		0.8	72.4		0.5	
1961-62	149,664	6.8		48.0	44.6		0.6	
1962-63	154, 483	0, 6		51.2	47.5		0. 7	
West Virginia			/					
1951-52	16,335		16.6	1.3	82.0		0, 1	
1961-62	11,901	0.6		15.8	83. 6			
1962-63	11,683	0.5		5.8	93. 7			
,	•			•	, ,			
North Carolina								
1951-52	26,658	67.5	9. 2		21.6		1.7	
1961-62	130,030	85.5		14.5				
1962-63	135,002	68.2		31.8				
South Carolina	22 22	15.0			00 (
1951-52	82,325	65. 2		46.3	32.6		2. 2	
1961-62	42,695	53.9		46.1				
1962-63	36,209	54. 3		45.7				
Goorgia								
Georgia 1951-52	4,578	68.9			31, 1			
1961-62	19,737	25.8		74.2	J1, I			
1962-63	23, 524	27.6		67.4	5, 0			
1/02 05	25, 524	21,0		01. 1	J. U			
Florida								
1951-52	4,893	25.1	1.2	0.9	71.3		1.5	
1961-62	8,497	31.1			68. 9			
1962-63	15,945	51.5		7.4	41.1			
SOUTH ATLANTIC								
1951-52	506,846	37.8	1.0	0.9	59.5		0.8	
1961-62	371,983	42.3		35.3	22. 2		0. 2	
1962-63	386,862	34.0		41.8	23. 9		0.3	

		Percentage distribution by varieties								
		Broad			.,	1				
Division	Total	Breasted	Other	Large	Small					
State and Year	Birds	Bronze	Bronze	White	White	Crosses	Others			
V ontu alar										
Kentucky 1951-52	30,402	86.7			13.3					
1961-62	27,039	96.2		3. 8	15.5					
1962-63	28,143	82.0		15.5	2, 5					
1,02 03	-0,115	3 2. 3		10.0						
Tennessee										
1951-52	1,270	100.0								
1961-62										
1962-63										
Alabama										
1951-52	11,119	75.6		4. 1	20.0		0.3			
1961-62	7,081	6.6	4.5	51.3	12.9	24.7				
1962-63	5,062	10.7		21.3	5, 8	62.2				
76'										
Mississippi 1951-52	2 154	06 1		2 0						
1961-62	3,154 1,791	96.1 40.8		3. 9						
1962-63	2,069	35.6				59. 2 64. 4				
1702-03	2,009	35, 0				04, 4				
Arkansas										
1951-52	12,407	78.1		21.9						
1961-62	50,339	76.7		18.0		5, 3				
1962-63	37,662	53. 0		31.9	15.1	3, 3				
	,			,						
Louisiana										
1951-52	21	100.0								
1961-62										
1962-63										
Oklahoma	0.4 = 0.4									
1951-52	34,506	74.3		2.0	23. 3		0. 4			
1961-62	48,299	66.3		24.3	8. 9		0.5			
1962-63	44,128	69.0		21.8	8.7		0.5			
Texas										
1951-52	186,957	90.4		0.1	0.2		0.2			
1961-62	218, 326	70. 9		27.8	9. 2 1. 3		0.3			
1962-63	229, 394	65.8		33. 9	0, 3					
SOUTH CENTRAL		00.0		55. /	0, 5					
1951-52	279,836	86.9		1.5	11.3	2	0.3			
1961-62	352,875	71.6	0, 1	24.4	2, 2	1.6	0.1			
1962-63	346,458	65.1		30.3	3. 2	1. 3	0.1			
Montana										
1951-52										
1961-62										
1962-63										
Idaho										
1951-52	2 077	70.0			10.0					
1961-62	3,077 6,672	79.9 89.3		10.7	18.2		1. 9			
1962-63	5,340	92. 9		10.7 7.1						
1,02 05	5,540	74. 7		1.1						

		Percentage distribution by varieties								
		Broad		1						
Division	Total	Breasted	Other	Large	Small					
State and Year	Birds	Bronze	Bronze	White	White	Crosses	Others			
Wyoming 1951-52										
1961-62				40 40 mg mt						
1962-63										
1702 03										
Colorado										
1951-52	1,377	28.2		2.2	69.6					
1961-62	4,000	73.6		26.4						
1962-63	8,985	91.9		8.1						
New Mexico										
1951-52										
1961-62										
1962-63										
Arizona										
1951-52	2,107	85.9			14.1					
1961-62	7,362	100.0								
1962-63	9,559	63.4		36.6						
Utah										
1951-52	40,742	94.1			5. 9					
1961-62	34,683	94.7			5.3					
1962-63	35,643	94. 4		5, 6						
Washington										
1951-52	88,656	72.9		4.8	21.7		0, 6			
1961-62	19,547	98.7		1.3						
1962-63	15,213	100.0								
Oregon										
1951-52	273,662	91.7		0.9	6.8		0.6			
1961-62	241,994	78.0	0.8	7.8	13.4					
1962-63	259,034	73.7	0, 1	10.9	15.1	0, 2				
California										
1951-52	939,248	88.3		0.4	9. 2		2, 1			
1961-62	1,139,641	66.5	0.2	31.6	0.7		1.0			
1962-63	1,025,098	71.2	0.1	27.8	0.5		0.4			
WESTERN										
1951-52	1,348,869	88.1		0.7	9. 5		1. 7			
1961-62	1,453,899	69.8	0.3	26. 2	2.9		0.8			
1962-63	1,358,872	72.8	0.1	23.5	3. 2	0.1	0.3			

Information in this report was compiled by Animal Husbandry Research Division Agricultural Research Service UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON, D.C. 20250

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS